



CONSTRUCTION NOTES:-

- PAINTE COLOUR - GREY RAL7032
- ESCUTCHEON - HINGED ON LHS, COLOUR WHITE RAL9010
- CHASSIS - N/A
- ENCLOSURE - POWDER COATED MILD STEEL, IP65
- CABLE ENTRY - REMOVABLE PLATES AT TOP & BOTTOM
- LEGEND CARD - N/A
- CIRCUIT NUMBERS - N/A
- SCHEDULE - N/A



FRONT VIEW DOOR CLOSED



A-A

LABEL SCHEDULE							
LOCATION	REF	ENGRAVED LABEL TEXT	HEIGHT	COLOR	FIXING	LABEL SIZE WxH	QTY
EXTERIOR OF DOOR	A	INTELICUBE	15mm	W/B/W	SCREW/ADHESIVE	150mm x 25mm	1
INTERIOR	B	PUSH TO TRIP	6mm	W/B/W	ADHESIVE	50mm x 25mm	1
INTERIOR	C	CONTROLLER	14mm	W/B/W	ADHESIVE	180mm x 25mm	1
INTERIOR	E	SURGE DIVERTER REPLACE WHEN INDICATION TURNS RED	6mm	W/B/W	ADHESIVE	80mm x 25mm	1

AutoCAD 2009 DRAWING. MANUAL CHANGES NOT PERMITTED

ORIGINAL ISSUE
D:SA T:AJ A:NM
DATE: 06.03.2017
ECN: -
A

~~CONTROLLED COPY~~

Tolerances on dimensions
(unless otherwise stated)

Up to 6	±0.1
Over 6 up to 30	±0.2
Over 30 up to 120	±0.3
Over 120 up to 315	±0.5
Over 315 up to 1000	±0.8
Over 1000	±1.2
All angles	±1°

DIMENSIONS IN MILLIMETRES
3RD ANGLE PROJECTION
DO NOT SCALE SCALE 1:6


IPD GROUP LIMITED
ABN 12 111 178 351




INTELIPROPV CONTROL CUBICLE

INTELICUBE
SHEET 1 OF 3

A3
A



DOOR & ESCUTCHEON OMITTED



DOOR OMITTED

EQUIPMENT SCHEDULE			
PART ID	PART NO.	EQUIPMENT DESCRIPTION	QTY
1	E65SHELL4G	DB SHELL 400H IP65 GREY EXCLUDING ESCUTCHEON	1
2	E-04H-MP	MOUNTING PAN FOR 400H SHELL MULTI-ROW DIN HEADER BOXES	1
3	E-04BLA-ID	ESCUTCHEON FOR 400H SHELL BLANK FOR DIN HEADER BOX	1
4	CMS103	FUSE HOLDER 32A 3 POLE MODULAR 690V DIN MOUNT	1
5	CMS101	FUSE HOLDER 32A 1POLE MODULAR 690V DIN MOUNT FUSE = 10*38MM	1
6	SJ2S-07LW	RJ2S RELAY BASE. FINGER-SAFE DIN RAIL MOUNT	2
7	RJ2S-CL-D24	RELAY SLIM LINE, DPDT, 24VDC 8A, WITH INDICATOR	2
8	P9DINRA	DIN RAIL ADAPTOR FOR 22MM PILOT DEVICES, 2 MODULES WIDE	1
9	P9XPN52002	PUSHBUTTON,FLUSH,GREEN, C/W 1NO CONTACT BLOCK,PLASTIC	1
10	DGMTT275FM	SPD 4P Class 2 40ka 8/20us 4C+EA 275VAC NON-MEN C/W CO	1
11	INTELIPROPV	UYILITY PROTECTION RELAY ANSI CODE: 59,27,47,81H,81I,32,62	1
12	CDTTU	DISCONNECT & TEST TERMINAL BLK 8MM WIDE TERMINAL	11
13	CKT4U	DISCONNECT & TEST TERMINAL BLK 6MM WIDE TERMINAL	2
14	EPCDTTU	END PLATE 'GREY' FOR CDTTU	2
15	EPCKT4U	END PLATE 'GREY' FOR CKT4U	1
16	CT TEST LINK-3	3 CT TEST LINK (3 PHASES) .	1
17	CDTTUSH	DISCONNECT & TEST TERMINAL BLK CURRENT TRANSFORMER SHORTING	1
18	DRC-40B	BATTERY CHARGER	1
19	RT1213	BATTERY 12V 1300mA SEALED	2
20	CTS2.5UN	2.5MM SCREW CLAMP 'GREY' TERMINAL BLOCK	4
21	E-DINRAIL-S	SHORT DIN RAIL CUT AND PUNCHED 160MM WITH 90MM FIXING	2

AutoCAD 2009 DRAWING. MANUAL CHANGES NOT PERMITTED

ORIGINAL ISSUE

~~CONTROLLED COPY~~

Tolerances on dimensions (unless otherwise stated)
 Up to 6 ±0.1
 Over 6 up to 30 ±0.2
 Over 30 up to 120 ±0.3
 Over 120 up to 315 ±0.5
 Over 315 up to 1000 ±0.8
 Over 1000 ±1.2
 All angles ±1°


DIMENSIONS IN MILLIMETRES
 3RD ANGLE PROJECTION
 DO NOT SCALE SCALE 1:6

IPD GROUP LIMITED
 ABN 12 111 178 351



INTELIPROPV CONTROL CUBICLE

INTELICUBE A3
 SHEET 2 OF 3 A




ANSI PROTECTION TABLE

PROTECTIVE FUNCTIONALITY	OPTIONAL FEATURES
27, 59, 47	25
81H, 81L	51V
51	67
46	78PS
50N+51N	32
50GS+51GS	78
59N	81R

AutoCAD 2009 DRAWING. MANUAL CHANGES NOT PERMITTED

(---) WIRED BY OTHERS

ORIGINAL ISSUE



Tolerances on dimensions (unless otherwise stated)

Up to 6	±0.1
Over 6 up to 30	±0.2
Over 30 up to 120	±0.3
Over 120 up to 315	±0.5
Over 315 up to 1000	±0.8
Over 1000	±1.2
All angles	±1°

DIMENSIONS IN MILLIMETRES
3RD ANGLE PROJECTION
DO NOT SCALE SCALE 1:6

INTELICUBE

IPD GROUP LIMITED
ABN 12 111 178 351



INTELICUBE A3
SHEET 3 OF 3 A